|    | Plant          | Finger millet |                | 12(         | 05004)                | Primary essential character               |   |
|----|----------------|---------------|----------------|-------------|-----------------------|---|---|
| No | Characters     |               | No. of samples | Methods     |                       | Rank or measurement unit                  | Remarks   |
| 1  | Plant habit    |               | Block          | Observation | 3:Decumbe             | nt 5:Intermediate 7:Erect                 | Just before heading   |
| 2  | Heading time   |               | Block          | Observation | date                  |   | Date when 40-50% ears emerge  |
| 3  | Culm length    |               | 10 plants      | Measurement | cm (integ             | er)                                       | Length from the ground to the neck of ear on the longest culm at maturity |
| 4  | Finger length  |               | 10 plants      | Measurement | cm (integ             | er)                                       | From the base to the tip of the longest spike at maturity                 |
| 5  | Number of ears |               | 10 plants      | Measurement | (integer              | )   |   |
| 6  | Ear shape      |               | Block          | Observation | 2:Open 3              | :Semi-compact 4:Compact 5:Fist-like       | At maturity   |
| 7  | Maturity Block |               | Block          | Observation | date                  |   | Date when 80% ears turn yellowish   |
| 8  | 8 Grain color  |               | Block          | Observation | 2:Pale br<br>8:Purple | own 4:Light brown 6:Copper brown<br>brown | At maturity   |

|    | Plant Finger millet                               |  |                |             | (05004)   | Primary optional character |                       |
|----|---|--|----------------|-------------|-----------|----------------------------|-----------------------|
| No | Characters  |  | No. of samples | Methods     |           | Rank or measurement unit   | Remarks               |
| 1  | Culm thickness                                    |  | Block          | Observation | 3:Thin 5  | :Intermediate 7:Thick      | At maturity           |
| 2  | 2 Number of tillers                               |  | 10 plants      | Measurement | (integer  | )                          |                       |
| 3  | Number of highest<br>branches on the main<br>culm |  | 10 plants      | Measurement | (round    | to the 1st decimal place)  |                       |
| 4  | Flag leaf width                                   |  | 10 plants      | Measurement | mm (integ | er)                        | At the heading period |
| 5  | 5 Color of immature ear                           |  | Block          | Observation | 2:Green   | 5:Mixed 8:Purple red       | Before maturity       |
| 6  | 6 1000-grain weight                               |  | Block          | Measurement | g (round  | to the 1st decimal place)  |                       |

| Plant |                   | Finger millet |                |           | 12(05004) | Secondary essential character                 |         |
|-------|-------------------|---------------|----------------|-----------|-----------|---|---------|
| No    | To Characters     |               | No. of samples | Method    | ls        | Rank or measurement unit                      | Remarks |
| 1     | Lodging tolerance |               | Block          | Observati |           | Slightly low 5:Intermediate<br>Ly high 7:High |         |
| 2     | Blast resistance  |               | Block          | Observati |           | Slightly low 5:Intermediate<br>Ly high 7:High |         |

|    | Plant Finger millet    | nger millet    |             | 2(05004)   | Tertiary essential character |   |
|----|------------------------|----------------|-------------|------------|------------------------------|---|
| No | Characters             | No. of samples | Methods     |            | Rank or measurement unit     | Remarks   |
| 1  | Grain yield            | Block          | Measurement | kg/a (row  | na to the ist attimat place, | Grain moisture content: 12.5%. Estimated from a plot of approximately 3 square meters |
| 2  | One-liter-grain weight | Block          | Measurement | g (intege: | r)                           | Grains with glumes  |
| 3  | Ease of hulling        | Block          | Observation | a 3:Easy 5 | :Intermediate 7:Difficult    |   |

|    | Plant Finger millet           |  |                | 12        | 2(05004)                     | Tertiary optional character              |         |
|----|-------------------------------|--|----------------|-----------|------------------------------|--|---------|
| No | Characters No.                |  | No. of samples | Methods   | s Rank or measurement unit   |  | Remarks |
| 1  | Total dry matter weight Block |  | Measurement    | kg/a (rou | nd to the 1st decimal place) | Calculated as the water content of 12.5% |         |